

cycloc[®]
beyond the bike

SUPER[™]
HERO

Introduction	3
Product features and benefits	4
Package contents	5
Dimensions	6
Clipless pedals - compatible pedal styles	7
Setting-out suggestions	8
Installation	10
Drilling template	13

Introduction



CYCLOC

Store your bike with style

Cycloc's unique ability to carefully combine considered thought with a twist of poetic spirit to create a range of simple, playful and practical products has earned it global recognition with numerous awards and accolades.

Founded in 2006, Cycloc operates from their design studio in London's creative East End and a manufacturing facility in the UK. A team of skilled and enthusiastic distributors and retailers provide support globally.

SUPER HERO

Clipless pedal mounted cycle display


- Suitable for Speedplay, Look and SPD.
- Perfect for home, office or retail display.
- Make efficient use of space with a tiered installation.
- Versatile - store bikes horizontally in left or right orientations.
- Discreet wheel rests protect walls from dirt and damage.
- Available in 3 bright colours.

'...I was struck by its simple elegance and functionality'

CEO, Speedplay



Product features and benefits




Package contents


- x1 Pedal support
- x1 Cover plate for pedal support
- x2 Fixing + wall plugs for pedal support

- x2 Wheel pads
- x2 Cover caps for wheel pads
- x2 Fixing + wall plugs for wheel pads

- x1 Speedplay adaptor plate



Dimensions (in mm)



Clipless pedals - compatible pedal styles




Speedplay




SPD



LOOK



Setting-out suggestions (in mm)



Road bikes



Mountain bikes

Note: all dimensions are approximate and for guidance only. Your configuration may differ due to the following variables: crank length, bar width, wheel diameter, pedal width, bottom bracket height, stem rise and tyre width.

Setting-out suggestions (in mm)



Space between bikes



Bikes can be displayed facing left or right

Installation


1. Please read these installation instructions thoroughly before commencing installation.
2. The Cycloc products were designed for use on a wall structure in good condition and suitably robust to carry the weight of the bike(s) to be hung from it. It is your responsibility to ensure that the product is installed on a suitable surface.
3. It should be noted that the maximum weights specified in the product guidance are static bike weights and do not allow for any dynamic loading, and are provided for guidance purposes only.
4. Sufficient expertise is required for the correct and safe installation of this product. It is your responsibility to ensure that the installer has a satisfactory working knowledge of the equipment required to achieve a robust and secure installation of the product, including the power tools and mechanical wall plug anchors to be used, and has the knowledge and skills required to determine whether the wall structure is suitable to carry the relevant weight.
5. If any of the above requirements are not complied with when installing the product, neither Cycloc nor Andrew Lang Product Design Ltd shall be liable or otherwise responsible for any damage to goods or injuries sustained because of the incorrect or inappropriate installation of Cycloc products.
6. For more information on product liability and the consequences of incorrect installation of Cycloc products, please refer to our Terms and Conditions, available at <https://cycloc.com/ps/content/3-terms-and-conditions>.

Tools required



Installation

Main support




Installation

Wheel pad



Drilling template (in mm)



NOTE:

- To use template, this sheet must be printed on A4 paper.
- Dimension between two drilling points should be 40mm.